



WMO/IOC/UNEP/ICSU
GLOBAL CLIMATE OBSERVING
SYSTEM (GCOS)

Doc. 1.24
(23.IX.2020)

**12th GRUAN Implementation-
Coordination Meeting (ICM-12)**

Session 1

Virtual

16 - 20 November 2020

GRUAN Site Report for TRappesPalaiseau

(Submitted by Jean-Charles Dupont)

Summary and Purpose of this Document

Report from the GRUAN site TRappesPalaiseau for the period January to December 2019.

Overview

TRappesPalaiseau (TRP) and La Réunion (REU) sites send every day the raw data and level 1 product for the M10 radiosondes launched with automatic radiosonde system. Certification documents have been sent at the beginning of September 2020 for M10 radiosonde for TRP and REU sites. GRUAN Data Product should be ready to be sent to the GRUAND data center before the end of September 2020.

Change and change management

There is no change in 2019.

Resourcing

In 2019, there is no change in resources.

Operations

In 2019, we do not have problem to reach the burst point at 10 hPa. We do have operational difficulties. We should be able to follow the GRUAN operating procedure for a long term period.

Site assessment and certification

We have submitted the certification documents at the beginning of September and we would like to have certified sites for TRappesPalaiseau (TRP) and La Réunion (REU) at the beginning of 2021.

GRUAN-related research

- We have collaborations with ACTRIS network and more precisely with the lidar community to provide input parameters such as vertical profile of temperature, humidity and pressure, used to derived geophysical atmospheric parameters from IPRAL backscatter signal.
- We have collaboration with EProfile network and more precisely with Automatic Lidar and Ceilometer (ALC) community to better monitor and understand the variability of the boundary layer height. Vertical profiles of temperature and wind intensity are here used to compare and evaluate some algorithms, CABAM and STRATFINDER

<https://www.lmd.polytechnique.fr/sirta/mld/>, Kotthaus, S and CSB Grimmond, Q J R Met Soc, 2018), based on ALC vertical profile.

- We have collaboration with ACTRIS-cloud network to study the fog life cycle processes and try to better understand the formation and the dissipation period. Temperature and humidity vertical variability above the fog layer has a significant impact of the fog development intensity and so a better characterization can help us to better forecast the life cycle of the fog layer.

WG-GRUAN interface

Have certified sites with M10 sensor at TRappesPalaiseau (TRP) and La Réunion (REU).

Other archiving centers

SIRTA observatory submit data in several international network

- BSRN for radiation,
- AERONET for the sun-photometer,
- ACTRIS for research lidar (IPRAL), cloud radar and microwave radiometer,
- EPROFILE for automatic lidar (ALC) and UHF radar,
- RGP-IGN for the GNSS sensor

Participation in campaigns

Faaa field experiment in October 2019 to compare and evaluate M10 radiosonde for manual and automatic radiosonde system. Several experiments in Lindenberg laboratories to better characterize M10 radiosonde.

Future plans

Certification of M10 radiosonde and for the sites TRappesPalaiseau (TRP) and La Réunion (REU) sites.



GRUAN Site Report for TrappesPalaiseau (TRP), 2019

Reported time range is Jan 2019 to Dec 2019

Created by the Lead Centre

Version from 2020-11-05

1 General GRUAN site information

Object	Value
Station name	TrappesPalaiseau
Unique GRUAN ID	TRP
Geographical position	48.7730 °N, 2.0080 °E, 168.0 m
Operated by	COOP-MF-IPSL Cooperation between Meteo-France and IPSL
Main contact	Dupont, Jean-Charles
WMO no./name	07145 TRAPPES
Operators	currently 3, changes +0 / -0
Sounding Site	1
Lidar	1
GNSS	1

1.1 General information about GRUAN measurement systems

System	Name	Type	Setups	Measurements
TRP-GN-01	GNSS site at SIRTA	GNSS	0	not operational
TRP-LI-01	IRPAL Multi-Wavelength Lidar for Aerosol, Cloud and Water Vapour Profiling	Lidar	0	0
TRP-RS-01	Trappes radiosonde launch site	Sounding Site	1	690

1.2 General comments from Lead Centre

1.2.1 General

The GRUAN site TrappesPalaiseau is a distributed site with two places Trappes and Palaiseau.

2 System: GNSS site at SIRTA (TRP-GN-01)

Object	Value
System name	GNSS site at SIRTA
Unique GRUAN ID	TRP-GN-01
System type	GNSS (GN - GNSS)
Geographical position	48.7130 °N, 2.2080 °E, 156.0 m
Operated by	SIRTA Site Instrumental de Recherche par Télédétection Atmosphériques, part of: IPSL Institut Pierre-Simon Laplace
Instrument contact	Dupont, Jean-Charles
Started at	2008-01-01
Defined setups	-
Possible streams	-

2.1 Lead Centre comments

2.1.1 Dataflow

No GNSS dataflow to LC has been established yet.

3 System: IRPAL Multi-Wavelength Lidar for Aerosol, Cloud and Water Vapour

Object	Value
System name	IRPAL Multi-Wavelength Lidar for Aerosol, Cloud and Water Vapour Profiling
Unique GRUAN ID	TRP-LI-01
System type	Lidar (LI - Lidar)
Geographical position	48.7130 °N, 2.2080 °E, 156.0 m
Operated by	SIRTA Site Instrumental de Recherche par Télédétection Atmosphériques, part of: IPSL Institut Pierre-Simon Laplace
Instrument contact	Haeffelin, Martial
Started at	2015-06-01
Defined setups	-
Possible streams	-

3.1 Lead Centre comments

3.1.1 Dataflow

No dataflow of lidar measurements to LC has been established yet.

4 System: Trappes radiosonde launch site (TRP-RS-01)

Object	Value
System name	Trappes radiosonde launch site
Unique GRUAN ID	TRP-RS-01
System type	Sounding Site (RS - Radiosonde)
Geographical position	48.7730 °N, 2.0080 °E, 168.0 m
Operated by	MF Meteo-France
Instrument contact	Marin, Frédéric
Started at	2015-04-01
Defined setups	1 (AUTO1)
Possible streams	M10

4.1 Lead Centre comments

4.1.1 Dataflow

Sonde dataflow to the GRUAN LC was operational in a fully automated mode from May 2018 until September 2019.

Restart of the automatic data flow of M10 radiosonde launches to the GRUAN LC is in preparation and will be implemented finally soon.

4.2 GRUAN data products

Product	Version	Soundings received	Available at LC	Distributed by NCEI
---------	---------	--------------------	-----------------	---------------------

4.2.1 Stream: M10

M10		690	690	
-----	--	-----	-----	--


4.3 Availability of data products

Available (green): All steps of data processing have been successfully completed. The data product file is available at LC (e.g. files that didn't pass QA/QC or uncertified GRUAN data products) and/or at NCEI (a certified GRUAN data product file that did pass QA/QC).

Unprocessed (yellow): The manufacturer-produced file with raw measurement data has been successfully converted into a GRUAN-standardized raw data format (NetCDF). The GRUAN data processing has not been performed or was aborted. Reasons for this may be a still missing GRUAN data processor or a processing-software error.

Original (red): The original, manufacturer-produced, raw data file is available (e.g. MWX data file) but was not converted into a GRUAN-standardized raw data format (NetCDF). Reasons for this may be missing data conversion software, a software error, or a corrupt data file.

4.3.1 Stream: M10



4.4 Instrument combinations of TRP-RS-01

Count	Instrument combination
690	M10

4.5 Instrument ground check

4.5.1 Stream: M10

(1) GroundCheck: GC-SHC

(2) GroundCheck: GC-TU(room)

4.6 Measurement events

