



WMO/IOC/UNEP/ICSU
GLOBAL CLIMATE OBSERVING
SYSTEM (GCOS)

Doc. 1.16
(01.III.2021)

**13th GRUAN Implementation-
Coordination Meeting (ICM-13)**

Session 1

Virtual

15 November - 19 November 2021

GRUAN Site Report for Minamitorishima

(Submitted by Junji Hisamitsu)

Summary and Purpose of this Document

Report from the GRUAN site Minamitorishima for the period January to December 2020.

Overview

Minamitorishima contributes to GRUAN with the operational data streams of iMS-100 radiosonde (2 times per day) and GNSS IPW. Minamitorishima additionally conducts surface observation, radiation observation and greenhouse-gases observation. iMS-100 is conducted manufacturer-independent ground check in SHC at 0

Change and change management

No changed.

Resourcing

We continue to be asked to significantly reduce the cost of observations.

Operations

Tateno can't operate dual-flight or special radiosondes like CFH because of safety problem that balloon/equipment fall to urban in the summer. Tateno can launch CFH only two more times because R23 cryogen for CFH is no longer available in Japan.

The altitude reached by radiosondes tends to decline. Reach rate to 10 hPa in Tateno is down to 48% in 2019 from 66% in 2018.

Covid-19

NIL

Site assessment and certification

Preparations continue to be made to obtain site certification for Minamitorishima. The request will be made as soon as the necessary preparations are made.

GRUAN-related research

NIL

WG-GRUAN interface

NIL

Other archiving centers

MINAMITORISHIMA

- Aerosols observation: WDCA (GAW)
- Surface ozone observation: WDCRG (GAW)

Participation in campaigns

NIL

Future plans

NIL



GRUAN Site Report for Minamitorishima (MTS), 2020

Reported time range is Jan 2020 to Dec 2020

Created by the Lead Centre

Version from 2021-04-27

1 General GRUAN site information

Object	Value
Station name	Minamitorishima
Unique GRUAN ID	MTS
Geographical position	24.2900 °N, 153.9800 °E, 9.0 m
Operated by	JMA Japan Meteorological Agency
Main contact	Hisamitsu, Junji
WMO no./name	47991 MINAMITORISHIMA
Operators	currently 5, changes +0 / -0
Sounding Site	1

1.1 General information about GRUAN measurement systems

System	Name	Type	Setups	Measurements
MTS-RS-01	Minamitorishima radiosonde launch site	Sounding Site	1	730

1.2 General comments from Lead Centre

1.2.1 Dataflow

For this remote site an intermittent (batch-like) dataflow was established in 2018. Data packages of approximately one month are submitted to the GRUAN LC.

2 System: Minamitorishima radiosonde launch site (MTS-RS-01)

Object	Value
System name	Minamitorishima radiosonde launch site
Unique GRUAN ID	MTS-RS-01
System type	Sounding Site (RS - Radiosonde)
Geographical position	24.2900 °N, 153.9800 °E, 9.0 m
Operated by	JMA Japan Meteorological Agency
Instrument contact	Hisamitsu, Junji
Started at	-
Defined setups	1 (ROUTINE)
Possible streams	IMS-100

2.1 Lead Centre comments

2.1.1 Dataflow

Sonde dataflow to the GRUAN LC is operational since May 2018.

Processing of IMS-100 data was not performed for all soundings in March 2020.

2.1.2 Data quality

Relatively large differences during ground check at 100%RH (exceeding 3 %RH) are occurred.

2.1.3 General

Routine soundings are performed two times per day.

Current operational radiosonde is the Meisei IMS-100.

2.2 GRUAN data products

Product	Version	Soundings received	Available at LC	Distributed by NCEI
---------	---------	--------------------	-----------------	---------------------

2.2.1 Stream: IMS-100

IMS-100		730	730	
IMS-100-BETA	001		608	


2.3 Availability of data products

Available (green): All steps of data processing have been successfully completed. The data product file is available at LC (e.g. files that didn't pass QA/QC or uncertified GRUAN data products) and/or at NCEI (a certified GRUAN data product file that did pass QA/QC).

Unprocessed (yellow): The manufacturer-produced file with raw measurement data has been successfully converted into a GRUAN-standardized raw data format (NetCDF). The GRUAN data processing has not been performed or was aborted. Reasons for this may be a still missing GRUAN data processor or a processing-software error.

Original (red): The original, manufacturer-produced, raw data file is available (e.g. MWX data file) but was not converted into a GRUAN-standardized raw data format (NetCDF). Reasons for this may be missing data conversion software, a software error, or a corrupt data file.

2.3.1 Stream: IMS-100





2.4 Instrument combinations of MTS-RS-01

Count	Instrument combination
730	IMS-100


2.5 Instrument ground check


2.5.1 Stream: IMS-100

(1) GroundCheck: GC-TU(0)





(2) GroundCheck: GC-TU(100)





(3) GroundCheck: GC-TU(room)



2.6 Measurement events

