

Task Team Radiosonde

Progress Report March 2016

Rolf Philipona, MeteoSuisse, Switzerland
Masatomo Fujiwara, Hokkaido Univ., Japan
and the Task Team Radiosonde

2. Members

Name	Affiliation	Status
Masatomo Fujiwara	Hokkaido University, Japan	Co-chair
Rolf Philipona	MeteoSuisse, Switzerland	Co-chair
Ruud Dirksen	GRUAN Lead Centre, DWD, Germany	
Frank Schmidlin	USA	
Alexander Kats	Central Aerological Observatory/KOMET, Russia	
Hannu Jauhiainen	The Association of Hydro-Meteorological Equipment Industry; Vaisala, Finland	HMEI representative
Micheal Hicks	NOAA/NWS/OOS, USA	
Larry Miloshevich	MILO-Scientific, USA	
Rigel Kivi	Finnish Meteorological Institute, Finland	
Nobuhiko Kizu	Japan Meteorological Agency, Japan	
LI Wei	China Meteorological Administration, China	
Yang RongKang	China Meteorological Administration, China	
Martial Haeffelin	Institut Pierre Simon Laplace, France	

3. Updates of the Tasks


1. *RS92 RH time lag corrections*
2. *Auto-launchers versus manual launches*
3. *Controlled descent assessment*
4. *Multi-payload launch configurations*

5. *Non-RS92 regular sondes (Meteolabor, Modem, Meisei, etc.)*
6. *Water vapour sondes*
7. *GRUAN data product for RS92*
8. *Ozonesondes*

(1) RS92 RH Time Lag Corrections

- R. Dirksen (lead), L. Miloshevich, M. Fujiwara et al.
- Intercomparison of GRUAN and other (e.g., Miloshevich's) RS92 RH time lag correction methods
- Started in late 2014, after the publication of Dirksen et al. (AMT, 2014) on description of the GRUAN Vaisala RS92 data product version 2

Example: GRUAN RS92 data product versus cryogenic frostpoint hygrometer data



(2) Auto-launchers vs. Manual Launches

- Rigel Kivi (lead), Nobuhiko Kizu, Fabio Madonna
- Assess the effects of the use of auto-launchers compared to manual launches on measurement uncertainty estimates for radiosondes
- Analyze data from Sodankylä, Tateno, and Potenza
- Ongoing



Sodankylä

(3) Controlled Descent Assessment

- Rolf Philipona (lead), Dale Hurst and Masatomo Fujiwara
- Assess controlled descent mechanisms for balloon payloads and issues around use of descent data
- A paper has been written by:

Andreas Kräuchi¹, Rolf Philipona², Gonzague Romanens²,

Dale F. Hurst^{3,4}, Emrys G. Hall^{3,4}, and Allen F. Jordan^{3,4}

1 Institute for Atmospheric and Climate Science, ETH Zurich, 8057 Zurich, Switzerland

2 Federal Office of Meteorology and Climatology MeteoSwiss, Aerological Station, 1530 Payerne, Switzerland



3 Cooperative Institute for Research in Environmental Sciences, University of Colorado, Boulder, Colorado 80309, USA

4 NOAA Earth System Research Laboratory, Global Monitoring Division, Boulder, Colorado 80305, USA

available at <http://www.atmos-meas-tech.net/9/929/2016/>

(4) Multi-payload Launch Configurations

- Hannu Jauhiainen (lead), Masatomo Fujiwara et al.
- Assess multi-payload launch configurations for GRUAN usage.
- Draft manuscript being prepared; various options and their pros and cons described
- Issue: Can we make single recommendation? TD or AMT?



Other Tasks

(5) Non-RS92 Regular Sondes (Meteolabor, Modem, Meisei, etc.)

- Define the non-RS92 data collection client requirement, identify the central data processing facility, and initiate data flow.
- Technical documents being prepared


Meteolabor SRS-C34



Modem M10



Meisei iMS-100



Other tasks

(6) Water Vapour Sondes

- Technical document and data collection client for frostpoint hygrometers (CFH, FPH, Snow White) and other hygrometers (e.g., FLASH-B)

(7) GRUAN Data Product for RS92

- Finalize the definition (e.g., pre-launch procedure, TD5); mostly led by LC

(8) Ozonesondes

- Task Team Radiosonde will support the activity